



What to Expect After the Surgery

Even though most patients experience minimal pain after surgery, the surgeon will still prescribe medication. Some degree of swelling and bruising is unavoidable, and your surgeon may instruct you to use cold compresses to keep swelling to a minimum. If a dressing has been applied, it will be removed within one to two days. The surgeon will also instruct you to keep your head elevated when lying down, to avoid as much activity as possible, and to report any undue discomfort. Although there are few complications in facelift surgery (thousands are performed each year), some risk exists in any surgery. In some cases, a drainage tube may have been inserted during surgery. This will be removed on the first or second day after surgery. All sutures and staples are usually removed within five to 10 days following surgery.

Surgeons generally recommend that patients avoid vigorous activity. Recovery usually takes two to three weeks, though many patients go back to work in two weeks. Scars are usually

not noticeable after enough time has passed for them to mature. In any case, they are easily disguised in natural skin creases, by the hair, or, in persistent cases, by makeup until total healing has occurred. Since surgery does not stop the aging process some relaxation of tissues can occur over the first few weeks. The goal of an artistic facelift is natural beauty without the tell tale signs of being "overdone".

Lasik and SuperSight Surgery Centre



WHAT IS A SUPERSIGHT SURGERY? SuperSight Surgery is an ideal procedure for people who are over 45 years of age with vision problems, including short sighted or long sighted or both and sick of wearing reading or bifocal glasses (even if you have had LASIK surgery in the past).

SuperSight surgery procedure, by which the failing natural lenses in the eyes, which now optically inefficient, were replaced by the latest development, soft and well-flexible intra-ocular lenses, which are designed to give most patients the ability to perform their normal activities. The procedure may also involve laser correction of the corneal curvatures to decrease astigmatism where indicated.

Consequently, your vision after the procedure will be stable and unlikely to change over time. In addition, cataract surgery is unnecessary later in life.